

# **ANALISIS LINGKUNGAN KERJA DI CV KLICK JAYA MAKMUR GEJAYAN**

**Richard Al Kautsar**

## **Abstrak**

Penelitian ini bertujuan untuk menganalisis dan mengetahui kondisi lingkungan kerja di CV. Klick Jaya Makmur Gejayan. Responden pada penelitian ini adalah karyawan CV. Klick Jaya Makmur Gejayan yang berjumlah 35 orang. Penelitian ini dilakukan di CV. Klick Jaya Makmur Gejayan, jl. Affandi No.1 Gejayan, Yogyakarta. Metode yang digunakan dalam penelitian ini adalah metode deskriptif kuantitatif. Metode yang digunakan dalam pengambilan sampel menggunakan sampel jenuh, hasil penelitian ini menunjukkan hasil nilai rata-rata indikator penerangan sebesar 4,04 atau masuk dalam kategori setuju. Nilai rata-rata indikator suhu udara sebesar 2,73 atau masuk dalam kategori netral. Nilai rata-rata indikator suara bising sebesar 4,10 atau masuk dalam kategori setuju. Nilai rata-rata indikator penggunaan warna sebesar 4,25 atau masuk dalam kategori sangat setuju. Nilai rata-rata indikator ruang gerak yang diperlukan sebesar 2,70 atau masuk dalam kategori netral. Nilai rata-rata indikator kemampuan bekerja sebesar 4,25 atau masuk dalam kategori sangat setuju. Nilai rata-rata indikator hubungan pegawai dan pegawai lainnya sebesar 4,00 atau masuk dalam kategori setuju.

**Kata Kunci:** *Lingkungan Kerja, CV. Klick Jaya Makmur Gejayan*

✓ 23

## **WORK ENVIRONMENT ANALYSIS AT CV KLICK JAYA MAKMUR GEJAYAN**

***Richard Al-Kautsar***

### ***Abstract***

*This study aims to analyze and determine the working environment conditions at CV. Klick Jaya Makmur Gejayan. Respondents in this study were employees of CV. Klick Jaya Makmur Gejayan, totaling 35 people. This research was conducted at CV. Klick Jaya Makmur Gejayan, Jl. Affandi No.1 Gejayan, Yogyakarta. The method used in this research is a quantitative descriptive method. The method used in sampling uses a saturated sample. The results of this study show that the average value of the illumination indicator is 4.04, which is in the agree category. The average value of the air temperature indicator is 2.73 which is included in the neutral category. The average value of the noise indicator is 4.10 which is in the agree category. The average value of the indicator for using color is 4.25 which is in the very agree category. The average value of the required space indicator is 2.70 which is included in the neutral category. The average value of the ability to work indicator is 4.25 which is in the very agree category. The average value of the employee relations indicator and other employees is 4.00 which is in the agree category.*

***Keywords:*** Work Environment, CV. Klick Jaya Makmur Gejayan